



Security solutions
over plastic optical fiber

End-user price list 2017

Κεντρικό: ΠΛΑΣΤΗΡΑ 257 & ΑΙΟΛΟΥ 36, ΑΓ.ΑΝΑΡΓΥΡΟΙ
ΑΘΗΝΑ, ΤΗΛ.ΚΕΝΤΡΟ: 2102620250, FAX: 2102623805


Υποκατάστημα: ΣΜΥΡΝΗΣ 31, Ν.ΦΙΛΑΔΕΛΦΕΙΑ
ΑΘΗΝΑ, ΤΗΛ.2102525534, FAX:2102584495

www.tridimas.gr info@tridimas.gr


Pre-assembled kits

PROTECTION OF RIGID FENCES AND GRATINGS (min. height: 145cm)

Item	Description	Price
FKIT100MOSVL	<p>Kit FENCE SV Lite 100 Anti-climb over system for rigid fences (height > 145cm) Kit includes: 1 LiteFENCE Lite, 3 x SVLite pre-cabled 20+20m sensors, 10 F-SMA connectors, 1 coupler, 100 cable ties. Mounting brackets for the sensors are included.</p> 	€1,290.00


 In case the perimeter is not a closed loop, add 1 analyser to emit the signal.


Example: around 200m of fence




PROTECTION OF GRATINGS AND RIGID FENCES (min. height:110cm)

FKIT060M00SV	<p>Kit FENCE SV 100 Anti-climb over system for rigid fences (height > 110cm)</p>  <p>Kit includes: 1 LiteFENCE, 2 SV sensors, 10 F-SMA connectors, 100 cable ties, 100m LiteWIRE simplex anti-UV cable. €1,825.00</p>	€1,890.00
--------------	---	-----------


 Aggiungere n.1 LiteFENCE TX (cod. LFEN300F011T) come trasmettitore in caso di perimetri lineari o non chiusi su se stessi (es. a ferro di cavallo)

 In case the perimeter is not a closed loop, add 1 LiteFENCE TX device at one end.

Example: around 200m of fence




PROTECTION OF FLEXIBLE AND CHAIN-LINK FENCES




Item	Description	Price
FKIT125M002K	Kit FENCE 125 - 2P (2 passages of fiber) Anti-climb over system for 125m of chain-link fence <i>Kit includes:</i> 1 LiteFENCE, 250m LiteWIRE simplex anti-UV cable, 200 cable ties, 1 coupler, 25 tension bolts, 10 F-SMA connectors	€1,565.00
FKIT250M002K	Kit FENCE 250 - 2P (2 passages of fiber) Anti-climb over system for 250m of chain-link fence <i>Kit includes:</i> 2 LiteFENCE, 500m LiteWIRE simplex anti-UV cable, 300 cable ties, 1 coupler, 50 tension bolts, 10 F-SMA connectors	€3,050.00
FKIT500M002K	Kit FENCE 500 (2 passages of fiber) Anti-climb over system for 500m of chain-link fence <i>Kit includes:</i> 4 LiteFENCE, 1,000m LiteWIRE simplex anti-UV cable, 500 cable ties, 2 couplers, 100 tension bolts, 20 F-SMA connectors	€5,800.00
FKIT500M004K	Kit FENCE 1000 - 2P (2 passages of fiber) Anti-climb over system for 1000m of chain-link fence <i>Kit includes:</i> 8 LiteFENCE, 2,000m LiteWIRE simplex anti-UV cable, 1,000 cable ties, 4 couplers, 200 tension bolts, 30 F-SMA connectors	€11,200.00


EXAMPLES :



Item	Description	Price
FKIT125M002K	Kit FENCE 80 - 3P (3 passages of fiber) Anti-climb over system for 125m of chain-link fence <i>Kit includes:</i> 1 LiteFENCE, 250m LiteWIRE simplex anti-UV cable, 200 cable ties, 1 coupler, 25 tension bolts, 10 F-SMA connectors	€1,565.00
FKIT250M002K	Kit FENCE 160 - 3P (3 passages of fiber) Anti-climb over system for 250m of chain-link fence <i>Kit includes:</i> 2 LiteFENCE, 500m LiteWIRE simplex anti-UV cable, 300 cable ties, 1 coupler, 50 tension bolts, 10 F-SMA connectors	€3,050.00
FKIT500M002K	Kit FENCE 320 - 3P (3 passages of fiber) Anti-climb over system for 500m of chain-link fence <i>Kit includes:</i> 4 LiteFENCE, 1,000m LiteWIRE simplex anti-UV cable, 500 cable ties, 2 couplers, 100 tension bolts, 20 F-SMA connectors	€5,800.00
FKIT500M004K	Kit FENCE 640 - 3P (3 passages of fiber) Anti-climb over system for 1000m of chain-link fence <i>Kit includes:</i> 8 LiteFENCE, 2,000m LiteWIRE simplex anti-UV cable, 1,000 cable ties, 4 couplers, 200 tension bolts, 30 F-SMA connectors	€11,200.00

 In case you protect the fence with 3 passages of fiber, add one **LiteFENCE TX** (cod. LFEN300F011T) as a signal transmitter when the perimeter is linear or not closed.

EXAMPLE: 3 passages




PROTECTION OF FENCES WITH BARBED WIRE



Item	Description	Price
FKIT125M002B	Kit FENCE 125 BW Anti-climb over system on barbed wire for 125m of fence, 2 passages of fiber Kit includes: 1 LiteFENCE, 250m LiteWIRE simplex anti-UV cable, 300 cable ties, 1 coupler, 25 tension bolts, 10 F-SMA connectors, 120 clips > Brackets not included	€1,825.00
FKIT250M002B	Kit FENCE 250 BW Anti-climb over system on barbed wire for 125m of fence, 2 passages of fiber Kit includes: 2 LiteFENCE, 500m LiteWIRE simplex anti-UV cable, 800 cable ties, 1 coupler, 50 tension bolts, 10 F-SMA connectors, 250 clips > Brackets not included	€3,500.00
FKIT500M002B	Kit FENCE 500 BW Anti-climb over system on barbed wire for 125m of fence, 2 passages of fiber Kit includes: 4 LiteFENCE, 1,000m LiteWIRE simplex anti-UV cable, 1,500 cable ties, 2 Couplers, 100 tension bolts, 20 F-SMA connectors, 500 clips > Brackets not included	€6,890.00

EXAMPLE: 2 passages of fiber, overhang bracket





PROTECTION OF FENCES WITH METAL ROPE

Item	Description	Price
FKIT080M002F	Kit FENCE 80 FM Anti-climb over system on metal rope for 80m of fence with 2 passages of fiber Kit includes: 1 LiteFENCE, 200m LiteWIRE simplex anti-UV cable, 300 cable ties, 1 coupler, 40 tension bolts, 10 F-SMA connectors, 80 clips > Brackets not included	€1,865.00
FKIT160M002B	Kit FENCE 160 FM Anti-climb over system on metal rope for 160m of fence with 2 passages of fiber Kit includes: 2 LiteFENCE, 2x200m LiteWIRE simplex anti-UV cable, 600 cable ties, 1 coupler, 80 tension bolts, 10 F-SMA connectors, 160 clips > Brackets not included	€3,440.00

Diameter of the rope: 4mm. Rope not included.

EXAMPLE: 2 passages of fiber and L-shaped brackets






PROTECTION OF TEMPORARY FENCES

Item	Description	Price
FKIT050M001T	Kit FENCE MOBILE 50 Anti-climb over/anti-lift system for 50m of temporary fence, single passage of fiber on the fence Kit includes: 1 LiteFENCE, 30 fast bolts for armoured cable, 50m LiteWIRE Simplex armoured cable (already terminated with FSMA connectors), 1 coupler, 100 cable ties.	€2,220.00
FKIT100M001T	Kit FENCE MOBILE 100 Anti-climb over/anti-lift system for 100m of temporary fence, single passage of fiber on the fence Kit includes: 1 LiteFENCE, 60 fast bolts for armoured cable, 2x50m LiteWIRE Simplex armoured cable (already terminated with FSMA connectors), 1 coupler, 200 cable ties	€3,240.00

EXAMPLE: closed perimeter




EXAMPLE: open perimeter



☞ Add 1 *LiteFENCE TX* (cod. LFEN300F011T) as a signal transmitter if the perimeter is linear or not closed.

ANTI-THEFT SYSTEM FOR SOLAR PANELS

Item	Description	Price
SKIT200P50KWC NEW	Kit SUN Plus 50kW (with glue) Anti-theft system for 200 solar panels (ground mounted) (<i>fiber cut + bend detection</i>) Kit includes: 250m LiteWIRE Anti-UV simplex cable, 1 LiteSUN Plus, 2 drums of glue, 400 omega clips, 10 F-SMA connectors. Every plant where glue is used must have at least one <i>Power Meter</i> built in LiteSUN Plus (+€47,00)	€1,240,00
SKIT200P50KW	Kit SUN Plus 50kW * Anti-theft system for 200 solar panels (ground mounted) (<i>fiber cut + bend detection</i>) Kit includes: 250m LiteWIRE Anti-UV simplex cable, 1 LiteSUN Plus, 200 fast bolts, 10 F-SMA connectors	€1,620.00
SKIT200M50KW	Kit SUN 50kW* Anti-theft system for 200 solar panels (ground mounted) Kit includes: 250m LiteWIRE Anti-UV simplex cable, 1 LiteSUN, 200 bolts, 10 F-SMA connectors	€895.00
FILO025C001S	Kit SUN 3kW* Anti-theft system for 15 solar panels mounted on rooftop Kit includes: 25m Anti-UV simplex cable, 1 single loop device, 1 power supply, 15 rooftop pins, 1 cutter	€265.00
FILO050C001S	Kit SUN 6kW* Anti-theft system for 30 solar panels mounted on rooftop Kit includes: 50m Anti-UV simplex cable, 1 single loop device, 1 power supply, 30 rooftop pins, 1 cutter	€328.00
FILO100C001S	Kit SUN 10kW* Anti-theft system for solar panels mounted on rooftop Kit includes: 100m Anti-UV simplex cable, 1 single loop device, 1 power supply, 60 rooftop pins, 1 cutter	€460.00




* Approximate dimensions, calculated considering a 250W panel of 1 x 1.6m laid as shown in the pictures. If the installation is different, the quantity of bolts/pins/ fiber could be not enough to protect all the panels. We recommend getting in touch with us.

ANTI-THEFT SYSTEM FOR COPPER WIRES

Item	Description	Price
CKIT250L002C	Kit COPPER DUCTS 250 Anti-theft system for 250m of cable running in ducts + 10 manhole lids <i>Kit includes:</i> 1x LiteCOPPER TX, 1x LiteCOPPER, 10x Fast bolts for armoured cable, 250m LiteWIRE simplex double armouring cable, 10 F-SMA connectors, 100 Cable ties	€2,630.00
CKIT500L003C	Kit COPPER DUCTS 500 Anti-theft system for 500m of cable running in ducts + 20 manhole lids <i>Kit includes:</i> 1 LiteCOPPER TX, 2 LiteCOPPER, 20 fast bolts for armoured cable, 500m LiteWIRE simplex double armouring cable, 10 F-SMA connectors, 300 Cable ties	€4,355.00
CKIT1000L05C	Kit COPPER DUCTS 1,000 Anti-theft system for 1,000m of cable running in ducts + 20 manhole lids <i>Kit includes:</i> 1 LiteCOPPER TX, 4 LiteCOPPER, 40 fast bolts for armoured cable, 1,000m LiteWIRE simplex double armouring cable, 10 F-SMA connectors, 500 cable ties	€7,520.00

EXAMPLE: Protection of copper cable laid in an underground duct and protection of manhole lids.




LiteCOPPER TX

LiteCOPPER

Item	Description	Price
CKIT250L002P	Kit COPPER CABLE TRAY 250 Anti-theft system for 250m of cable running in cable tray <i>Kit includes:</i> 1 LiteCOPPER TX, 1 LiteCOPPER, 250m LiteWIRE simplex BLUE cable, 25 fast bolts, 10 F-SMA connectors, 100 cable ties	€1,750.00
CKIT500L003P	Kit COPPER CABLE TRAY 500 Anti-theft system for 500m of cable running in cable tray <i>Kit includes:</i> LiteCOPPER TX, 2 LiteCOPPER, 500m LiteWIRE simplex BLUE cable, 50 fast bolts, 10 F-SMA connectors, 300 Cable ties	€2,760.00

EXAMPLE: Protection of copper cable laid in a cable tray



ANALYSERS, CONVERTERS, CABLES AND ACCESSORIES**ANALYSERS**

Item	Description	Price
LFEN300F011S	 <p>LiteFENCE Analyser for anti-climb fence protection It analyses variation of light transmission over the plastic fiber cable, detecting both <u>cut and bending</u> of the fiber (max. 30dB) ⁽¹⁾</p>	€1,050.00
LFEN300F011L	 <p>LiteFENCE Lite Device for anti-climb fence protection Use only with SV Lite sensor (max. 30dB) ⁽¹⁾</p>	€445.00
LFEN300F011T	 <p>LiteFENCE TX Transmitter; to be used in conjunction with LiteFENCE</p>	€438.00
LCOP300C011S	 <p>LiteCOPPER Analyser for the protection of copper cables and manhole lids It analyses variation of light transmission over the plastic fiber cable, detecting both <u>cut and bending</u> of the fiber (max. 30dB) ⁽¹⁾</p>	€1,140.00
LFEN300F011T	 <p>LiteCOPPER TX Transmitter; to be used in conjunction with LiteCOPPER</p>	€438.00
LCUT300S011S	 <p>LiteSUN Device for the protection of solar panels This transceiver detects the cut of the fiber (max. 30dB) ⁽¹⁾</p>	€199.00
LSUN300P011S	 <p>LiteSUN Plus Analyser for the protection of solar panels It analyses variation of light transmission over the plastic fiber cable, detecting both <u>cut and bending</u> of the fiber (max. 30dB) ⁽¹⁾ LiteSUN Plus with built-in Power Meter</p>	€ 830,00 (€ 877,00)
(LSUN300PM11S)		
LSUN300P011A	 <p>LiteSUN Plus AMPLI Amplifier for LiteSUN Plus (max. 30dB) ⁽¹⁾</p>	€555.00











⁽¹⁾ 30 dB = about 300m of LiteWIRE cable.⁽²⁾ 20 dB = about 200m of LiteWIRE cable.

These distances can be reached if the installation of the fiber is correct and without any fixing elements. Sharp curves, over-tightened cable ties, mechanical stress and fixing elements can reduce the distance considerably.

CONVERTERS FOR NORMALLY CLOSED CONTACTS (N.C.)

Item	Description	Price
LCUT300S011S	RX for NC Receiver for normally closed contact (max. 30dB) ⁽¹⁾ . To be used in conjunction with LiteFENCE/LiteCOPPER	€199.00
LBAS300N001C	TX-RX for NC Transceiver for normally closed contact (max. 30dB) ⁽¹⁾ <i>For LiteSUN Plus only:</i> the transmitter is mounted on the LiteSUN Plus board; the receiver is a separate device.	€246.00

ANALOGUE VIDEO SIGNAL CONVERTERS


Item	Description	Price
VIDEOHD002S	 <p>HD VIDEO SYSTEM 200 Transmitter + Receiver for CCTV AHD and Full HD signal, manual gain adjustment. It also supports PAL/NTSC (max. 20dB)⁽²⁾</p> <p>CUT & PLUG</p> <p>NO CONNECTORS</p>	€ 275,00
VIDA300C150S	 <p>VIDA300 S Transmitter + Receiver for analogue CCTV signal with automatic adjustment (max. 30dB)⁽¹⁾</p>	€270.00
VIDA300R151R	 <p>VIDA300 AMPLI Signal amplifier with automatic adjustment(max. 30dB)⁽¹⁾</p>	€215.00
VIDEOHD002T	 <p>HD VIDEO 200 Transmitter Transmitter for AHD and Full HD (also supports PAL/NTSC) (max 20dB)⁽¹⁾</p> <p>NO CONNECTORS</p>	€ 76,00
VIDA000S000T	 <p>VIDA TX Transmitter for VIDA receivers</p>	€ 82,00
VIDEOHD002R	 <p>HD VIDEO 200 Receiver Receiver for AHD and Full HD (also supports PAL/NTSC), manual gain adjustment (max 20dB)⁽¹⁾</p> <p>NO CONNECTORS</p>	€ 222,00
VIDA300S002R	 <p>VIDA300 RX Receiver with automatic adjustment (max 30dB)⁽¹⁾</p>	€212.00
VIDA300M004R	 <p>VIDA300 RX4 RACK Multiple receiver (4 channels) with automatic adjustment, 230VAC, 19" rack mounting (max 30dB)⁽¹⁾</p>	€950.00
VIDA300M008R	 <p>VIDA300 RX8 RACK Multiple receiver (8 channels) with automatic adjustment, 230VAC, 19" rack mounting (max 30dB)⁽¹⁾</p>	€1,492.00
VIDA300M012R	 <p>VIDA300 RX12 RACK Multiple receiver (12 channels) with automatic adjustment, 230VAC, 19" rack mounting (max 30dB)⁽¹⁾</p>	€1,980.00

⁽¹⁾ 30 dB = about 300m of LiteWIRE cable.





⁽²⁾ 20 dB = about 200m of LiteWIRE cable.

These distances can be reached if the installation of the fiber is correct and without any fixing elements. Sharp curves, over-tightened cable ties, mechanical stress and fixing elements can reduce the distance considerably.

RS485 - SIGNAL CONVERTERS

Item	Description	Price
SER4300C000B	 RS485 BIDI Transmitter + Receiver for bidirectional signals (max. 30dB) ⁽¹⁾	€338.00



ETHERNET - SIGNAL CONVERTERS

VDIP101S002P	 VIDA IP MC Ethernet converter, 100Mbit up to 100m (1 optical port + 1 RJ45 port)	€390.00
VDIP202S004P	 VIDA IP SW Ethernet switch, 100Mbit up to 100m (2 optical ports + 2 RJ45 ports)	€704.00
VDIP202S004S	 VIDA IP SW + SFP As above + 1Gbps SFP uplink over glass optical fibre	€842.00
	 VIDA IP SW 200 New Ethernet switch (2x optical ports + 2x RJ45 ports) ✓ Ethernet 100Mbit ✓ <u>up to 200m</u> <i>Available soon</i>	

⁽¹⁾ 30 dB = about 300m of LiteWIRE cable.⁽²⁾ 20 dB = about 200m of LiteWIRE cable.

These distances can be reached if the installation of the fiber is correct and without any fixing elements. Sharp curves, over-tightened cable ties, mechanical stress and fixing elements can reduce the distance considerably.














PROTECTION SYSTEM FOR FARM AND WORKSITE EQUIPMENT

Item	Description	Price
LBLOCK020	 <p>LiteBLOCK This system is in an outdoor box and is composed of: - analyser for plastic fiber, sensitive to both cut and bending of the fiber - 1 normally closed contact - 20m of pre-terminated LiteWIRE cable with steel armouring - 230V power inlet - 3 open collector outputs (low battery, overload, network) <i>Batteries not included: for 3 days, one lead battery (12V 48Ah) is recommended</i> <i>SIZE:45cm x 22cm x h.52cm</i></p>	€2.100,00
LBLOCK020G	 <p>LiteBLOCK + GSM This system is in an outdoor box and is composed of: - analyser for plastic fiber, sensitive to both cut and bending of the fiber - 1 normally closed contact - 20m of pre-terminated LiteWIRE cable with steel armouring - siren output - 230V power inlet - GSM mini alarm panel - can be programmed/managed via SMS (functions and I/O) - Buzzer when switching on/off the alarm - contact ID transmission - Message for no power/low battery - Anti-jammer and life-test functions - SMS and/or vocal messages to up to 8 telephone numbers - Memory of 16.000 events <i>Batteries not included: for 3 days, one lead battery (12V 48Ah) is recommended</i> <i>SIZE:45cm x 22cm x h.52cm</i></p>	€2.710,00

LITEWIRE - PLASTIC FIBER CABLES



Item	Description	Price
LPL1000V022P	LiteWIRE Simplex BLU - per meter. To be installed in conduits only - No UV filters	€1.83
LPL1025V022P	LiteWIRE Simplex BLU - 250m	€400.00
LPL1050V022P	LiteWIRE Simplex BLU - 500m	€708.00
LPL1100V022P	LiteWIRE Simplex BLU - 1000m	€1,350.00
LEA1100B022M	LiteWIRE Simplex Anti-UV - per meter Sunlight resistant, with <i>anti-UV filters</i>	€1.97
LPL1025P022M	LiteWIRE Simplex Anti-UV - 250m	€425.00
LPL1050P022M	LiteWIRE Simplex Anti-UV - 500m	€802.00
LPL1100P022M	LiteWIRE Simplex Anti-UV - 1,000m	€1,570.00
TOL2025V044P	LiteWIRE Duplex - 250m	€640.00
TOL2050V044P	LiteWIRE Duplex - 500m	€1,230.00
TOL2100V044P	LiteWIRE Duplex - 1,000m	€2,430.00
KEY1100B050E	LiteWIRE Simplex anti-rodent, double armouring - per meter (min. 50m)	€4.90
KEY0250B050E	LiteWIRE Simplex anti-rodent, double armouring - 250m	€1,160.00
KEY0500B050E	LiteWIRE Simplex anti-rodent, double armouring - 500m	€2,030.00
PATC000N025A	ACCESSORY: 20m of pre-terminated LiteWIRE cable with steel armouring (max. 5 patch-cords for every LiteBLOCK)	€ 135,00
PATC000N050A	ACCESSORY: 50m of pre-terminated LiteWIRE cable with steel armouring (max. 2 patch-cords for every LiteBLOCK)	€ 269,00
PATC000N100A	ACCESSORY: 100m of pre-terminated LiteWIRE cable with steel armouring + spooler (max. 1 patch-cord for every LiteBLOCK)	€ 539,00

ACCESSORIES

Item	Description	Price
BULF0D210110	 Tensioning bolt for attaching the fiber to the posts of flexible fences/barbed wire (1 every 10m) and of metal rope (1 every 4m)	€8.20
CLIP001S000P	 Mounting clip for bracket (10pcs/pack) To keep barbed wire + plastic fiber attached on each barbed wire arm (every 2m)	€28.50
VBR025S000L	 SV Lite Sensor For rigid fences higher than 145cm, in conjunction with LiteFENCE Lite (max. 3 sensors per each LiteFENCE Lite). Each sensor has 20m of LiteWIRE cable on each side. <i>> Mounting brackets included</i>	€385.00
VBR025S000	 SV Sensor For rigid fences higher than 110cm, in conjunction with LiteFENCE Lite (max. 2 sensors per each LiteFENCE Lite device). <i>> Mounting brackets included</i>	€385.00
GOLF580G060Z	 Fast bolt for armoured cable To be attached to the lid of the manhole or to a temporary fence (attenuation: 0.5dB)	€31.50
BULS020M006	 Fast bolt To be attached to the cover of cable trays or to the frame of solar panels with LiteSUN Plus	€2.15
3MSCOTCH160M	 Structural adhesive tape 16m; used only with LiteSUN PLUS, for solar panels on rooftop	€216.00
COLL100P400G NEW	 Glue For outdoor, UV resistant. One drum is enough for affixing the fiber to around 100 photovoltaic panels. <i>To be used only with LiteSUN Plus</i>	Price depending on quantity
CLOM100P200P NEW	 Omega Clip For affixing the fiber to the panles using the slots on the frame. One pack is enough for 100 panels (2 clips every panel). <i>To be used only with glue COLL100P400G and LiteSUN Plus. 1 pack= 200pcs</i>	Price depending on quantity
BULS010M006I	 Drilled bolt (M6x6) For ground installations. Composed of one drilled bolt (head 15mm) and a 15x35mm nut, to be installed in PV panels mounting holes	€1.92
BULS010M012T	 Drilled pin Only for rooftop installations where the mounting holes on the frame are not accessible	€1.20
STAF000V004S	 Overhang bracket For barbed wire/metal rope, drilled for clips and tensioning bolts, for 2 passages of fiber Height: 38cm; distance between the fibers: 20cm. It is installed every about 2m.	€39.50
STAF000L004S	 L-shaped bracket For barbed wire/metal rope, drilled for clips and tensioning bolts, for 2 passages of fiber Height: 40cm; distance between the fibers: 20cm. It is installed every about 2m.	€34.00

ACCESSORIES

Item	Description	Price
ATTS010M000M	 Mechanical attenuator Increases the attenuation by 10 dB on FSMA connectors	€19.80
DCAL012S012U	 220VAC to 12VDC 1.2A transformer	€30.00
POLF100A000W	 Sand paper 5um	€5.90
PUCK001M022M	 Polishing disc for F-SMA metal connectors	€49.50
RCKA001M004M	 Mounting bracket for din bar for VIDA systems	€5.50
SMAA001M022M	 Coupler To be used with F-SMA connectors : +2dB attenuation	€19.80
SMAC001M022M	 F-SMA connector With protective boots, 10 pcs. per pack	€56.00
SMAK001M022M	 LiteWIRE connectorization kit Toolcase containing: cutter, crimping tool, automatic cable stripper, 20 FSMA connectors, polishing disc for F-SMA, 5um sand paper.	€364.00

Item	Description	Price
KITD001A001N	 <p>Demo and assistance toolkit "Naria Security"</p> <p>This toolcase contains:</p> <ul style="list-style-type: none"> - Toolcase containing: cutter, crimping tool, automatic cable stripper, 20 FSMA connectors, polishing disc for F-SMA, 5um sand paper. - LiteFENCE on a panel - battery powered - patchcord in plastic fiber with transparent jacket, to see the light signal passing through the fiber and understand how the analyser works - patch cord with black jaket (anti-UV) - samples of fixing bolts: tensioning bolt, drilled bolt, fast bolt, fast bolt for anti-rodent cable, easy bolt, clip 	

Οι τιμές δεν περιλαμβάνουν Φ.Π.Α.
και μπορεί να αλλάξουν χωρίς προειδοποίηση